



# **Fire Protection Products Technical Data Book Table of Contents March 2022**

<b>SECTION 1 - STANDARD SPRAY SPRINKLERS</b>	<b>DATE</b>	<b>SHEET</b>
Series TY-L Pendent, Recessed Pendent, and Upright, SR, K=5.6 and 8.0 . . . . .	11-21	TFP110
Series TY-L Horizontal Sidewall, SR, K=5.6 . . . . .	09-19	TFP120
Series TY-FRL Pendent Recessed Pendent, and Upright, QR, K=2.8, 5.6 and 8.0 . . . . .	08-18	TFP130
Series TY-FRL Horizontal Sidewall, QR, K=5.6. . . . .	08-18	TFP140
Series TY-B Pendent, Recessed Pendent, and Upright, SR, K=2.8, 5.6 and 8.0. . . . .	11-21	TFP151
Series TY-B Pendent, Recessed Pendent, and Upright, SR, Standard Coverage, K=5.6 . . . . .	08-18	TFP152
Series TY-B Sidewall, Horizontal, and Vertical, SR, K=5.6. . . . .	05-20	TFP161
Series TY-FRB Pendent, Recessed Pendent, and Upright, QR, K=2.8, 4.2, 5.6 and 8.0. . . . .	12-20	TFP171
Series TY-FRB Pendent, Recessed Pendent, and Upright, QR, Standard Coverage, K=5.6. . . . .	11-72	TFP172
Series TY-FRB Sidewall, Horizontal, and Vertical, QR, K=5.6 . . . . .	07-18	TFP176
Series RFII Concealed QR and SR, Standard Coverage, Pendent, K=5.6 . . . . .	08-20	TFP181
Series RFII-MRI Non-Magnetic Concealed, QR and SR, Standard Coverage, Pendent, K=5.6 . . . . .	04-21	TFP182
ILLUSION Concealed QR, Standard Coverage, Pendent, K=11.2 . . . . .	08-18	TFP184
Model RFII Concealed QR, Standard Coverage, Horizontal Sidewall, K=5.6. . . . .	03-21	TFP185
<b>SECTION 2 - EXTENDED COVERAGE SPRINKLERS</b>	<b>DATE</b>	<b>SHEET</b>
Model EC-25 Extended Coverage Area/Density, Upright, SR, K=25.2. . . . .	08-18	TFP213
Series EC-11 and EC-14 Pendent, Recessed Pendent, and Upright, QR and SR, K=11.2 and 14.0. . . . .	11-21	TFP220
Series EC-8 Pendent and Recessed Pendent, QR and SR, K=8.0. . . . .	09-18	TFP223
Series EC-8C ECLH Corridor and Hallway, Pendent and Recessed Pendent, QR, K=8.0. . . . .	04-21	TFP226
Series EC-5 Pendent and Recessed Pendent, QR and SR, K=5.6. . . . .	08-18	TFP228
Model SW-20 and SW-24 ECOH Horizontal Sidewall, SR, K=11.2 . . . . .	08-18	TFP230
Model ELOC Concealed Extended Coverage, Pendent, QR and SR, K=11.2. . . . .	08-18	TFP250
Series RFII Concealed Extended Coverage, Pendent, QR, K=5.6 . . . . .	09-18	TFP260
Series RFII-MRI Non-Magnetic Concealed, QR and SR, Extended Coverage, Pendent, K=5.6 . . . . .	04-21	TFP262
Series RFII-C Concealed ECLH Corridor and Hallway, Pendent, QR, K=5.6 . . . . .	04-21	TFP263
Model CHEC Concealed Extended Coverage, Horizontal Sidewall, QR, K=8.0. . . . .	08-18	TFP265
Series RFIII Concealed Extended Coverage, Horizontal Sidewall, QR, K=8.0 . . . . .	06-21	TFP270
Series TY-FRL QR-EC Horizontal Sidewall, K=5.6 and 8.0. . . . .	08-18	TFP280
Model EC-HS Extended Coverage Horizontal Sidewall, K=115 . . . . .	04-21	TFP288
Series TY-FRB QR-EC Horizontal Sidewall and Recessed HSW, K=5.6 and 8.0. . . . .	08-18	TFP296
Series EC-5 QR-EC Horizontal Sidewall and Recessed HSW, K=5.6 . . . . .	08-18	TFP298

**TABLE OF CONTENTS**

<b>SECTION 3 - STORAGE SPRINKLERS</b>	<b>DATE</b>	<b>SHEET</b>
Model ESFR-25 Early Suppression, Fast Response, Pendant, K=25.2 . . . . .	11-21	TFP312
Model ESFR-17 Early Suppression, Fast Response, Pendant, K=16.8. . . . .	06-21	TFP315
Model ESFR-17 Early Suppression, Fast Response, Upright, K=16.8 . . . . .	11-21	TFP316
Model ESFR-17 Early Suppression, Fast Response, Pendant, K=16.8. . . . .	11-21	TFP317
Model ESFR-14 Early Suppression, Fast Response, Pendant, K=14.0. . . . .	12-20	TFP319
Model ESFR-17 Early Suppression, Fast Response, Dry, Pendant, K=16.8 . . . . .	08-21	TFP320
Model ESFR-22 Early Suppression, Fast Response, Pendant, K=22.4 . . . . .	03-21	TFP321
Model ESFR-17 TY7236 Early Suppression, Fast Response, Pendant, K=16.8 . . . . .	11-21	TFP322
Model TY720, Pendant, Electronic Control, K=16.8 . . . . .	03-19	TFP325
Model ESFR-22 RIS Early Suppression, Fast Response, Pendant, Rapid Install, K=22.4 . . . . .	01-22	TFP327
Model ESFR-25 RIS Early Suppression, Fast Response, Pendant, Rapid Install, K=25.2 . . . . .	01-22	TFP328
Ultra K17 Specific Application Control Mode, Upright, SR, K=16.8, 155°F and 200°F. . . . .	10-21	TFP330
Model K17-231 Storage, Pendant and Upright, Standard Coverage, SR, K=16.8 . . . . .	10-21	TFP332
Model LD Large Drop, Upright, K=11.2 . . . . .	10-21	TFP335
Model ESFR-34 Early Suppression, Fast Response, Pendant, K=33.6 . . . . .	04-21	TFP338
Series ELO-231 Pendant and Upright, Standard Coverage, SR, K=11.2 . . . . .	08-18	TFP340
Series ELO-231B Pendant and Upright, Standard Coverage, SR, K=11.2 . . . . .	11-21	TFP342
Series ELO-231FRB Pendant and Upright, Standard Coverage, QR, K=11.2. . . . .	08-18	TFP344
Series TY-L Intermediate Level, Pendant and Upright, SR, K=5.6 and 8.0 . . . . .	08-18	TFP350
Series TY-B Intermediate Level, Pendant and Upright, SR, K=5.6 and 8.0 . . . . .	08-18	TFP351
Series TY-B Intermediate Level, Pendant and Upright, Standard Coverage, SR, K=5.6 . . . . .	08-18	TFP352
Series TY-FRL Intermediate Level, Pendant and Upright, QR, K=5.6 and 8.0 . . . . .	01-22	TFP355
Series TY-FRB Intermediate Level, Pendant and Upright, QR, K=5.6 and 8.0 . . . . .	05-21	TFP356
Series TY-FRB Intermediate Level, Pendant and Upright, Standard Coverage, QR, K=5.6. . . . .	08-18	TFP357
<b>SECTION 4 - RESIDENTIAL SPRINKLERS</b>	<b>DATE</b>	<b>SHEET</b>
Series LFII Residential Pendant and Recessed Pendant, K=4.9 . . . . .	09-19	TFP400
Series LFII Residential Pendant and Recessed Pendant, K=5.8 . . . . .	12-18	TFP401
Series LFII Residential Pendant, K=3.0. . . . .	12-18	TFP402
Series LFII Residential Pendant and Recessed Pendant, K=4.9 . . . . .	09-20	TFP403
Series LFII Residential Pendant, Recessed Pendant, and Concealed Pendant, K=6.9. . . . .	12-18	TFP408
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=4.2 . . . . .	09-19	TFP410
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=4.4 . . . . .	09-19	TFP412
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=5.6 . . . . .	12-18	TFP415
Series LFII Residential Horizontal Sidewall and Recessed Horizontal Sidewall, K=5.8 . . . . .	03-19	TFP417
Series LFII Residential Flat Plate Concealed Pendant, K=4.9 . . . . .	09-19	TFP442
Series LFII Residential Concealed Horizontal Sidewall, K=4.2. . . . .	06-21	TFP445
Series LFII Residential Flat Plate Concealed Pendant, K=4.9 . . . . .	11-21	TFP446
Series LFII Residential Flat Plate Concealed Pendant, Lead-Free, K=4.9 . . . . .	12-21	TFP447
Series LFII Residential Domed Plate Concealed Pendant, K=4.9. . . . .	08-18	TFP450
Series LFII Dry-Type Residential, Recessed Pendant, K=4.9. . . . .	12-18	TFP460
Series LFII Dry-Type Residential, Horizontal Sidewall, and Recessed Horizontal Sidewall, K=4.4 . . . . .	12-18	TFP461
Model RCP-1 Residential Control Panel . . . . .	08-18	TFP480
Residential Dry Pipe System. . . . .	07-20	TFP485
Series LFII Residential Sprinkler Design Guide. . . . .	07-20	TFP490

<b>SECTION 5 - DRY SPRINKLERS</b>	<b>DATE</b>	<b>SHEET</b>
Series DS-1 Dry SR, Standard Coverage, Pendent, Upright, and HSW, K=5.6 . . . . .	09-21	TFP500
Series DS-1 Dry SR, Standard Coverage, Pendent, VdS, K=5.6 . . . . .	06-19	TFP501
Series DS-8 Dry SR, Standard Coverage, Pendent, K=8.0 . . . . .	09-21	TFP503
Series DS-1 Dry QR, Standard Coverage, Pendent, Upright, and HSW, K=5.6 . . . . .	09-21	TFP510
Series DS-8 Dry QR, Standard Coverage, Pendent, K=8.0 . . . . .	09-21	TFP513
Series DS-C Dry QR and SR, Standard Coverage, Concealed Pendent, K=5.6 . . . . .	11-19	TFP515
Series DS-ECC Dry QR, Extended Coverage, Concealed Pendent, K=5.6 . . . . .	11-19	TFP518
Series DS-1 Dry QR and SR, Extended Coverage, HSW, K=5.6 . . . . .	09-21	TFP520
Series DS-2 Dry QR and SR, Standard Coverage, Pendent, K=11.2 . . . . .	09-21	TFP530
Series DS-2 Dry QR and SR, Extended Coverage, Pendent, K=11.2 . . . . .	09-21	TFP540
Series DS-3 Dry SR, Extended Coverage Ordinary Hazard, HSW, K=11.2 . . . . .	09-21	TFP550
Series DS-1 Dry QR and SR, Pendent, HSW and EC HSW, K=5.6 — Stainless Steel . . . . .	09-21	TFP560
Model DSB-2 Dry Sprinkler Boot for Use with TFP Dry Type Sprinklers . . . . .	08-18	TFP591
 <b>SECTION 6 - SPECIAL SPRINKLERS</b>	 <b>DATE</b>	 <b>SHEET</b>
Models BB, SD, HIP, and AP “Specific Application Sprinklers for Protecting Attics” . . . . .	06-21	TFP610
Model WS Window Sprinklers, Horizontal and Pendent Vertical Sidewall, K=5.6 . . . . .	03-21	TFP620
Model CWS Concealed Window Sprinkler, K=5.6 . . . . .	11-21	TFP621
Model CC1 Combustible Concealed Space Sprinklers, K=2.8. . . . .	12-18	TFP630
Model CC2 Combustible Concealed Space Sprinklers, K=4.2 and 5.6 . . . . .	12-18	TFP632
Model CC3 Combustible Concealed Space Sprinklers, K=4.2 and 5.6 . . . . .	11-21	TFP633
Model TY-FRFS, TY-FS Special and TY-FS, Flat Spray Sprinklers, K=57, 80 and 115. . . . .	08-20	TFP635
Model FSC, Flush Sprinkler Concrete, K=80 . . . . .	08-18	TFP645
Model TFP PH2 Institutional Pendent, Standard Coverage, SR, K=5.6 . . . . .	08-18	TFP650
RAVEN Institutional Pendent and HSW, Standard and Extended Coverage, QR, K=5.6 . . . . .	08-18	TFP651
Model TFP PH5 Institutional HSW, Standard Coverage, SR, K=5.6 . . . . .	08-18	TFP654
RAVEN Studio Pendent and HSW, Standard and Extended Coverage, QR, K=5.6 . . . . .	10-21	TFP658
Series TY-B Conventional (Old Style), SR, K= 5.6 and 8.0 . . . . .	08-18	TFP661
Series TY-B Conventional (Old Style), SR, Standard Coverage, K=5.6 . . . . .	08-18	TFP662
Series TY-B Conventional, Special Response, K= 80 and 115 . . . . .	08-18	TFP663
Series TY-FRB Conventional (Old Style), QR, K=5.6 and 8.0 . . . . .	03-20	TFP666
Series TY-FRB Conventional (Old Style), QR, Standard Coverage, K=5.6 . . . . .	08-18	TFP667
Series TY-B and TY-FRB Pendent and Upright, SR and QR, 10 mm orifice, ISO 7-1 R 3/8. . . . .	08-18	TFP670
Series TY-B Pendent and Upright, Special Response, K=57, 80 and 115 . . . . .	08-18	TFP672
Series TY-B and TY-FRB — Stainless Steel, SMO, and Titanium . . . . .	12-20	TFP680
Series TY-L Stainless Steel, Pendent, Recessed Pendent, SR, Standard Coverage, K=5.6 and 8.0 . . .	04-21	TFP683
Issue D QUARTZOID High Temperature, Pendent and Upright, SR, K=5.6 and 8.0. . . . .	08-18	TFP690

**TABLE OF CONTENTS**

Page 4 of 8

<b>SECTION 7 - SPRINKLER WARNINGS, PATTERNS, AND ACCESSORIES</b>	<b>DATE</b>	<b>SHEET</b>
Installer Warnings . . . . .	11-21	TFP700
Sprinkler and Nozzle Materials, Finishes, and Environmental Factors . . . . .	07-20	TFP705
Sprinkler Spray Patterns . . . . .	08-18	TFP710
FASTFLEX Model YN25, YB25, and YB28 Flexible Sprinkler Hoses . . . . .	11-21	TFP720
Model FH-1 Flexible Sprinkler Hoses . . . . .	06-21	TFP725
Recessed Sprinkler Escutcheon Plates, Pendent and Sidewall . . . . .	11-21	TFP770
Style 65 One-Piece Flush and Style 401 Two-Piece Deep Sprinkler Escutcheons . . . . .	08-18	TFP777
Style 60 Two-Piece Flush Sprinkler Escutcheons . . . . .	04-21	TFP778
Model G1 and G4 Guards, G1/S1 and G4/S3 Guards with Shield (K=5.6 and 8.0 Sprinklers) . . . . .	01-22	TFP780
Model GUMC/GUWSU Sprinkler Guards (TY-B/TY-FRB, EMEA Sprinklers Only) . . . . .	08-18	TFP781
Model EG-25 Sprinkler Guard . . . . .	01-22	TFP784
Sprinkler Cabinets . . . . .	02-21	TFP785
<b>SECTION 8 - NOZZLES AND NOZZLE ACCESSORIES</b>	<b>DATE</b>	<b>SHEET</b>
Type EA-1 Automatic PROTECTOSPRAY Nozzles . . . . .	01-21	TFP800
Type D3 PROTECTOSPRAY Nozzles . . . . .	08-18	TFP802
Type D3 PROTECTOSPRAY Nozzles, Appendix . . . . .	08-18	TFP802A
Type D4a PROTECTOSPRAY Nozzles . . . . .	08-18	TFP806
Type MV Directional Spray Nozzles, Open Medium Velocity . . . . .	08-18	TFP807
Type DN-5 Corrosion Resistant Duct Nozzle, Open Medium Velocity . . . . .	08-18	TFP808
Type MV-R Reverse Action and Type MV-T Tank Top, Open Medium Velocity . . . . .	08-18	TFP809
Model F822 to F834, MULSIFYRE Nozzles . . . . .	08-18	TFP810
Model F822S to F834S Mulsifyre Nozzles with Strainers . . . . .	04-21	TFP811
Type HV-14 to HV-60, High Velocity Nozzles . . . . .	11-19	TFP815
Navy Type G, Nozzles . . . . .	08-18	TFP820
Navy Type SB, Flush Deck Nozzles . . . . .	08-18	TFP825
Type 1 and 2, Cooling Tower Nozzles . . . . .	08-18	TFP830
Issue A and B, Exposure Window Sprinklers . . . . .	08-18	TFP835
Model B-1 Foam-Water Sprinklers . . . . .	08-18	TFP840
Model TN-25 Horizontal Spray Nozzle, Open K=25.2 . . . . .	12-20	TFP850
Model TN-17 Horizontal Spray Nozzle, Open K=16.8 . . . . .	09-20	TFP852
DDS Duct Deluge System For The Protection of Ventilation Ductwork Handling Corrosive Gases . . . . .	08-18	TFP870
Blow-off Plugs for Open Sprinklers and PROTECTOSPRAY Nozzles . . . . .	08-18	TFP890
<b>SECTION 9 - WET SYSTEM VALVES AND ACCESSORIES</b>	<b>DATE</b>	<b>SHEET</b>
Model AV-1-300 Alarm Check Valves, 300 psi — 2-1/2, 4, 6, and 8 Inch . . . . .	03-21	TFP910
Model RC-1 Retard Chambers . . . . .	03-19	TFP920
Model WMA-1 Water Motor Alarms . . . . .	08-18	TFP921
Model WMA-1 Water Motor Alarms (European Conformity) . . . . .	01-22	TFP922
Model CV-1FR Riser Check Valves — 2 to 12 Inch . . . . .	12-20	TFP950
Model RM-1 Commercial and Residential Riser Manifold . . . . .	08-21	TFP963
Model RM-2 Riser Manifold . . . . .	09-21	TFP964
Model TD-1 Test and Drain Valve . . . . .	09-21	TFP965
Model RSV-1 Residential Domestic Shutoff Valves — 1 and 2 Inch . . . . .	07-16	TFP980
Model RSV-1 Residential Domestic Shutoff Valves, Stainless Steel — 1 and 2 Inch . . . . .	03-22	TFP982
Model AV-1-300 Alarm Check Valves, 300 psi — 4, 6, and 8 Inch (European Conformity) . . . . .	03-21	TFP990

<b>SECTION 10 - DRY SYSTEM VALVES</b>	<b>DATE</b>	<b>SHEET</b>
Model DPV-1 Dry Pipe Valves — 2-1/2, 3, 4, and 6 Inch . . . . .	06-21	TFP1020
Model DPV-1 Dry Pipe Valves — 4 and 6 Inch (European Conformity). . . . .	06-21	TFP1090
<b>SECTION 11 - QUICK OPENING DEVICES</b>	<b>DATE</b>	<b>SHEET</b>
Model QRS Electronic Dry Pipe Valve Accelerators . . . . .	09-21	TFP1100
VIZOR Electronic Dry Pipe Valve Accelerators . . . . .	06-19	TFP1105
Model ACC-1 Dry Pipe Valve Accelerators . . . . .	09-21	TFP1112
<b>SECTION 12 - AIR MAINTENANCE DEVICES</b>	<b>DATE</b>	<b>SHEET</b>
Model AMD-1 Air Maintenance Devices, Pressure Reducing Type . . . . .	02-20	TFP1221
Model AMD-2 Air Maintenance Devices, Compressor Control Type . . . . .	08-18	TFP1231
Model AMD-3 Nitrogen Maintenance Devices, High Pressure (Cylinder) Reducing Type . . . . .	08-18	TFP1241
Model NG-1 100, 250, 500 Nitrogen Generator, Wall-Mounted . . . . .	12-20	TFP1251
Model NG-1 1000 Nitrogen Generator, Skid-Mounted . . . . .	06-20	TFP1252
Model NG-1 1150, 1500, 2000, 3000 Nitrogen Generator, Stand-Alone. . . . .	02-21	TFP1253
Model TILD Corrosion Detector, In-Line . . . . .	09-19	TFP1261
Model TAV-D Air Vent, Dry . . . . .	09-20	TFP1262
TSV-D SMART Air Vent, Dry . . . . .	09-20	TFP1263
Model TAV-W Air Vent, Wet . . . . .	09-19	TFP1264
Model TAV-WN Air Vent, Wet-Nitrogen . . . . .	02-20	TFP1265
Model TNIK Nitrogen Inerting Kit . . . . .	09-19	TFP1266
Model THGA Handheld Gas Analyzer. . . . .	09-19	TFP1267
Model TNIM Nitrogen Inerting Manifold . . . . .	09-19	TFP1268
Model TNIC Nitrogen Interface Controller . . . . .	09-19	TFP1269
Model TSGA Smart Gas Analyzer. . . . .	09-19	TFP1270
Model TNST-200 Nitrogen Storage Tank . . . . .	09-19	TFP1272
Model NG-1 100, 250, 500 Nitrogen Generator, Wall-Mounted, Installers Manual . . . . .	04-21	TFP1273
Model NG-1 1150, 1500, 2000, 3000 Nitrogen Generator, Stand-Alone, Installers Manual . . . . .	04-21	TFP1275
<b>SECTION 13 - DELUGE SYSTEM VALVES AND ACCESSORIES</b>	<b>DATE</b>	<b>SHEET</b>
DV-5A Red-E Cabinets, Integrated Deluge Fire Protection Package . . . . .	08-21	TFP1301
DV-5A Automatic Water Control Valve, Deluge Wet Pilot Actuation Trim . . . . .	10-21	TFP1311
DV-5A Automatic Water Control Valve, Deluge Dry Pilot Actuation Trim . . . . .	06-21	TFP1316
DV-5A Automatic Water Control Valve, Deluge Electric Actuation Trim . . . . .	06-21	TFP1321
DV-5A Automatic Water Control Valve, Remote-Resetting Deluge Trim. . . . .	06-21	TFP1325
DV-5A Automatic Water Control Valve, Remote-Resetting, Pressure-Reducing Deluge Trim . . . . .	06-21	TFP1326
Series MJC, Multiple Jet Controls, DN20-DN50, 12 bar. . . . .	08-18	TFP1346
Model DP-1 Dry Pilot Actuator . . . . .	08-18	TFP1380
Model MC-1 and MC-2 Manual Control Station . . . . .	08-18	TFP1382
Model ASV-1 Automatic Shut-Off Valve for Use with DV-5 Deluge Valves. . . . .	08-18	TFP1384
Model FSV-1 Fail-Safe Valve for Use with DV-5 Deluge Valves . . . . .	08-18	TFP1386
Model MRA-1 Manual Reset Actuator. . . . .	02-21	TFP1387
Model FTR-1 Fixed Temperature Release. . . . .	08-18	TFP1388

**TABLE OF CONTENTS**

<b>SECTION 14 - PREACTION SYSTEMS</b>	<b>DATE</b>	<b>SHEET</b>
DV-5A Red-E Cabinets Integrated Preaction Fire Protection Package . . . . .	08-21	TFP1401
—SINGLE INTERLOCK—		
DV-5A Automatic Water Control Valve, Preaction Single Interlock Wet Pilot Actuation Trim . . . . .	06-21	TFP1411
DV-5A Automatic Water Control Valve, Preaction Single Interlock Dry Pilot Actuation Trim . . . . .	06-21	TFP1416
DV-5A Automatic Water Control Valve, Preaction Single Interlock Electric Actuation Trim . . . . .	06-21	TFP1421
—DOUBLE INTERLOCK, ELECTRIC/PNEUMATIC—		
DV-5A Automatic Water Control Valve, Preaction Double Interlock Electric/Pneumatic Actuation Trim . . . . .	08-21	TFP1461
—DOUBLE INTERLOCK, ELECTRIC/ELECTRIC—		
DV-5A Automatic Water Control Valve, Preaction Double Interlock Electric/ Electric Actuation Trim . . . . .	08-21	TFP1466
—PREACTION EUROPEAN CONFORMITY—		
DV-5A Automatic Water Control Valve, Preaction Type A Trim . . . . .	06-21	TFP1485
DPV-1 Preaction Type B Valve, DN100 to DN150 (EN12845 Compliance) . . . . .	09-19	TFP1486
<b>SECTION 15 - GENERAL PURPOSE VALVES</b>	<b>DATE</b>	<b>SHEET</b>
—SHUT-OFF VALVES—		
Model BFV-300 and BFV-300C Grooved Butterfly Valve . . . . .	01-21	TFP1511
Model BFV-300 Wafer Butterfly Valve . . . . .	01-21	TFP1516
Model BFV-250 Wafer Butterfly Valve . . . . .	04-21	TFP1517
Model TJR Resilient-Seated Gate Valve, Outside Screw and Yoke, 2 to 16 Inch . . . . .	04-21	TFP1541
Model TJP Resilient-Seated Gate Valve and Vertical or Cross Wall Post Indicator, 2 to 24 Inch . . . . .	06-21	TFP1546
—CHECK VALVES—		
Model CV-1F Check Valves, 2 to 12 Inch . . . . .	12-20	TFP1550
Model CV-300B Grooved End Swing Check Valve, 4 Inch . . . . .	08-18	TFP1552
Maintenance Kit for Model CV-1F Check Valves . . . . .	08-18	TFP1555
Model TJDD Double Door Wafer Check Valve . . . . .	11-21	TFP1562
Model TJCVC Flanged Swing Check Valve . . . . .	01-22	TFP1563
—SPECIAL VALVES—		
Model TJST Flanged Y-Strainer . . . . .	01-22	TFP1564
Model TJAR Air Release Valve . . . . .	02-21	TFP1565
Model PRV-1 Pressure Reducing Valves, 2 to 8 Inch . . . . .	08-18	TFP1580
Model PRV-1A Pilot Operated Pressure Reducing Valve, 2 to 8 Inch . . . . .	10-21	TFP1581
Model RV-1 Pressure Relief Valves, 2 to 8 Inch . . . . .	08-19	TFP1585
Model RV-1A Pilot Operated Pressure Relief Valve, 2 to 8 Inch . . . . .	05-21	TFP1586
<b>SECTION 16 - SPECIALTY ITEM</b>	<b>DATE</b>	<b>SHEET</b>
Model FL-1 Fusible Links, 50 lb. . . . .	08-18	TFP1610
Identification Signs . . . . .	08-18	TFP1615
Model G16AC812 Automatic Supervisory Air Supply . . . . .	08-18	TFP1620
Model AD-1 Automatic Drain Valve . . . . .	08-18	TFP1630
Model AD-2 Automatic Drain (Ball Drip) Valve . . . . .	08-18	TFP1632
Model AD-3 Automatic Drain Valve . . . . .	08-18	TFP1633
Model F1321 Sight Flow Connections, 1 and 2 Inch . . . . .	08-18	TFP1635
LFP® Antifreeze Agency Listed Solution for Fire Sprinkler Systems . . . . .	01-22	TFP1680
LFP® Antifreeze+ Agency Listed Solution for Fire Sprinkler Systems . . . . .	01-22	TFP1682

<b>SECTION 17 - STEEL PIPE AND THREADED FITTINGS</b>	<b>DATE</b>	<b>SHEET</b>
Ductile Iron Threaded Fittings . . . . .	08-18	TFP1710
GRINNELL Figure 40-5 Straps . . . . .	10-21	TFP1720
 <b>SECTION 18 - FIRE GROOVED PRODUCTS</b>	 <b>DATE</b>	 <b>SHEET</b>
GRINNELL G-FIRE Grooved Fittings . . . . .	10-21	TFP1815
GRINNELL G-FIRE Figure 705 Grooved Flexible Couplings . . . . .	03-19	TFP1820
GRINNELL G-FIRE Figure 716 Grooved Flexible Reducing Couplings . . . . .	08-18	TFP1830
GRINNELL G-FIRE Figure 707 Grooved Flexible Couplings . . . . .	08-18	TFP1840
GRINNELL G-FIRE Figure 577 Grooved Rigid Couplings (Americas/APAC) . . . . .	03-19	TFP1854
GRINNELL G-FIRE Figure Grooved 579 Rigid Couplings . . . . .	04-21	TFP1856
GRINNELL G-FIRE Figure 730 Mechanical Tees . . . . .	04-21	TFP1860
GRINNELL G-FIRE Figure 522 Sprinkler Outlet . . . . .	08-21	TFP1865
GRINNELL G-FIRE Figure 71 Flange Adapters . . . . .	08-18	TFP1880
GRINNELL G-FIRE Fire Protection Gaskets . . . . .	08-18	TFP1895
GRINNELL G-FIRE Groove Specifications . . . . .	08-18	TFP1898
GRINNELL Fire Protection Products Installation Handbook . . . . .	10-16	IH-1000FP
 <b>SECTION 19 - CPVC PIPE AND FITTINGS</b>	 <b>DATE</b>	 <b>SHEET</b>
CPVC Installation Handbook . . . . .	11-21	IH-1900
CPVC Submittal Sheet . . . . .	08-18	TFP1915
Model SHB1 CPVC Head Set Hanger . . . . .	01-21	TFP1920
Rapid Seal Adapter Sprinkler Installation and Gasket Replacement . . . . .	02-21	TFP1925
Model 3002 CPVC Sprinkler Head Adapter Fitting Holdback Wrench . . . . .	10-21	TFP1950
SDS for TFP-500 CPVC Solvent Cement . . . . .	02-20	TFP1990
SDS for TFP-600 CPVC Solvent Cement . . . . .	08-18	TFP1994
 <b>SECTION 20 - FOAM SPRINKLER EQUIPMENT</b>	 <b>DATE</b>	 <b>SHEET</b>
Foam Definitions for Use with ANSUL Foam Concentrates . . . . .	08-18	TFP2000
Approved Discharge Devices for use with ANSUL Foam Concentrates . . . . .	06-21	TFP2005
 <b>SECTION 21 - ELECTRICAL</b>	 <b>DATE</b>	 <b>SHEET</b>
Solenoid Valves 1/2 Inch . . . . .	10-18	TFP2180
 <b>SECTION 22 - AQUAMIST</b>	 <b>DATE</b>	 <b>SHEET</b>
<i><b>Note:</b> AQUAMIST technical data sheets have been removed from the Tyco Technical Data Book and website.</i>		
<i>Newly updated literature is available on the AQUAMIST website. Go to:</i>		
<i><a href="https://tycoaquamist.com/solutions/aquamist-ulf/">https://tycoaquamist.com/solutions/aquamist-ulf/</a></i>		
 <b>SECTION 23 - REGULATORY AND HEALTH INFORMATION</b>	 <b>DATE</b>	 <b>SHEET</b>
Regulatory and Health Warnings . . . . .	08-18	TFP2300

**TABLE OF CONTENTS**

Page 8 of 8